A Conceptual Framework for Modelling the Dynamics of Environmental Systems

Dr I Moffatt University of Stirling

ABSTRACT

A conceptual framework for modelling the dynamics of environmental systems is presented. It is argued that apparently stable systems can evolve via bifurcation when critical thresholds are exceeded. When a system is forced further away from equilibrium dissipative structures emerge. These dissipative structures are characterized by stochastic, non-linear feedback mechanisms which have the capacity to transform an apparently stable environmental system into a relatively more complex one which evolves. Some examples of these structures are simulated using system dynamics and the implications for further research are discussed.

INTRODUCTION

One of the major difficulties in building dynamic models of environmental systems resides in resolving the paradox that these systems are both stable yet evolve. Generally, model builders have concentrated their efforts on understanding the dynamics of stable systems. Whilst this research is well established it is clear that by focussing attention on stable systems model builders have, by and large, ignored the evolution of such apparently stable systems. This paper outlines a conceptual framework which can simultaneously accommodate both the dynamics of stable and developing environmental systems.

In the following section a brief definition and discussion of environmental systems is offered. It will be argued that the study of environmental systems transcends conventional disciplinary boundaries and, through necessity, has to embrace both hard and soft systems simultaneously. This discussion is then followed, in section three, by presenting a conceptual framework for modelling the dynamics of environmental systems. By drawing upon the extending the work of the Brussels school (Prigogine and Stengers 1982) it is argued that an apparently stable system can pass through a chaotic mode of behaviour which, if driven further from a previous position of equilibrium, can then undergo a radical transformation which has the potential for a new qualitatively different system to emerge. These dissipative structures are characterized by stochastic, non-linear feedback mechanisms and are present, but latent, in many environmental systems. The fourth section uses system dynamics and DYNAMO to simulate the various modes of behaviour described in the conceptual framework for modelling environmental systems. Finally, some of the implications of this conceptual framework for further research into the dynamics of environmental systems are discussed.

ENVIRONMENTAL SYSTEMS ARE HARD AND SOFT

According to Bennett and Chorley an environmental system can be defined very broadly as an interdisciplinary study embracing 'physical,

biological, man-made, social and economic reality' (Bennett and Chorley 1978, p.21). Obviously, such a broad definition covers a whole host of disciplines and it is, perhaps, useful to consider environmental systems as the intersection of three sets namely the ecological; the economic and socio-political systems. The study of ecological systems is primarily concerned with the explicit elucidation of the structure and
function of a plant or animal community and its patural habitat. The function of a plant or animal community and its natural habitat. The habitat can consist of both organic and inorganic material. Several habitat can consist of both organic and inorganic material. texts have shown that the structure and functioning of ecological systems can be understood by use of computer simulation (Hall and Day
1977, Jeffers 1978). Whilst ecological studies are one important fac Whilst ecological studies are one important facet of environmental science it would be misleading to suggest that all environmental scientists are concerned solely with ecological
problems. Increasingly, societies economic activities are he Increasingly, societies economic activities are having a
upon ecological systems. The misuse of ecological systems major impact upon ecological systems. for short term economic gain can have a major, if not catastrophic,
impact on the life support systems of this planet. If economic and impact on the life support systems of this planet. ecological systems are not integrated in a holistic manner then serious repercussions may result from our short sighted negligence (Wilson and Kirkby 1980).

The study of the inter-relationships between economic and ecological systems do not, however, take place in a socio-political vacuum. Increasingly, decisions made by socio-political institutions can have a major impact on the environment. It is, therefore, essential that environmental scientists consider the way in which material aspects of our culture support a particular set of political ideas as opposed to more ecologically sensible political philosophies and practices. Pepper, for example, notes that 'the British Conservative Government in 1980-1 put so much research money into nuclear power rather than 'soft' energy sources perhaps because of the power of the pro-nuclear lobby and also because it wanted to break the political power of the coal-miners'
(Pepper 1984). In an attempt to explain the way in which vested In an attempt to explain the way in which vested interests manipulate environmental decision making environmental scientists need to consider critically the ethical principles and political practices of these groups.

Clearly, an environmental system is a complex phenomena and it cannot be studied in its entireity by adopting a purely ecological or economic or socio-political perspective. To try and explain the dynamics of environmental systems from any one or two perspectives is myopic. Yet, to try and develop a conceptual framework which can accommodate all three sets in an integrated, holistic dynamic framework is exceedingly difficult. One of the reasons for this difficulty resides in the fact that environmental systems are simultaneously hard and soft systems.

In a recent reappraisal of systems analysis Checkland has argued that hard systems are a special case of the so-called soft-systems methodology (Checkland 1984). A hard system can be characterized as the search for an efficient means of reaching a clearly defined objective or goal, once the goal or objective is clearly defined, then systematic appraisal of alternative solutions to the problem, helped by various techniques, enables the problem to be solved. A classic example of this approach was the successful attempt by the American nation to land a man on the moon. A soft systems approach provides a way of tackling ill-structured problems without imposing on them the means-end dichotomy which is characteristic of the hard systems

approach. In many cases the use of verbal models helps to clarify the major interactions in a system without degenerating into arid polemic. Alternatively, some simulation modelling of soft systems can 'degenerate into science fiction, in which fragmentary data are pushed far beyond any limit of credibility' (Coyle 1984, pp.599).

> Paradigm 1 Hard systems thinking

C: Customers

Decision-makers who command

Participants who debate the real world systems differences between the models and the expression of the

problem situation

Those who choose to take part: analysts and/or problem owners

Information into specific learning for the "actors"

Paradigm 2. Soft systems thinking

A: Actors

T: Transformation

W: Worldview

0: Owners

E: Ethics

External analysts and engineers

Information into advice to decision-makers

Real world problem is systemic. Methodology is systematic Optimization is possible

Decision-makers/ clients

Power structures and value systems of the decisionmaker clients

Real world problem is problematical Methodology is systemic Learning is possible

"Actors" as defined above, or the analyst

As little as possible compatible with achieving change in the problem situation

Figure 1. Hard and Soft Systems (After Checkland 1984)

The distinction between hard and soft systems is clearly illustrated
below (see Figure 1). Despite the differences between these two Despite the differences between these two approaches to using a systems approach to either optimize or to learn about a specific system of interest several researchers have failed to grasp the significance of the soft methodology (Morgan 1981). Often they have attempted to apply the hard systems approach to problems which
are soft. One of the results of this major methodological mistake has One of the results of this major methodological mistake has been to ignore the interaction of clashing value systems found in soft systems by assuming that the system model builders implicit values are the only ones which are important. Witness, for example, the heated exchange over the value systems embedded in the World and Urban Dynamic models (Forrester 1969, 1971; Moffatt 1983). If hard and soft systems

are to be integrated in a coherent way then this problem of incorporating dialectical changes within our models must be tackled. Fortunately, the conceptual framework outlined in this paper is capable of achieving this synthesis of hard and soft systems.

A CONCEPTUAL FRAMEWORK

In order to make progress in the dynamic modelling of environmental systems it is essential that a framework is developed which can incorporate both the hard and soft elements of these complex systems. Furthermore, it is fundamentally important that the conceptual framework can resolve the paradox that environmental systems are both stable yet
evolve. Generally, model builders have concentrated their efforts on Generally, model builders have concentrated their efforts on
ling the dynamics of stable systems. Whilst this research is understanding the dynamics of stable systems. well established it is clear that by focussing attention on stable systems model builders have, by and large, ignored the evolution of such apparently stable systems. This section outlines a conceptual This section outlines a conceptual framework which can simultaneously accommodate both the dynamics of stable and developing hard and soft environmental systems.

Any dynamic model may be defined as a simplication of a real world
system which changes through time. This apparently straightforward system which changes through time. definition of dynamic models hides a bewildering richness of dynamic behaviour (May 1976). This dynamic behaviour can be described as synchronic or diachronic change (Huckfeldt, Kohfeld and Likens, 1982). Synchronic change describes the way in which the elements of a system alter through space-time within a fixed structure. Diachronic change, however, describes the processes whereby the structure of a system is transformed into another form. Most dynamic models of environmental systems have examined synchronic structures but it is becoming increasingly obvious that diachronic change must be examined if we are to understand the complexities of the dynamics of environmental systems.

Figure 2. Various modes of behaviour in dynamic models. In figure 2 a conceptual framework which attempts to integrate both synchronic and diachronic structures is illustrated. Beginning with systems which are locally stable, emphasis is placed on those systems which are in dynamic equilibrium (i.e. whose macroscopic state variables do not fluctuate through time although the microscopic elements may, in fact, change). Included in this class of local stability is the Included in this class of local stability is the concept of stable cyclical oscillations in the behaviour of a system. As an open environmental system is driven further away from locally stable locations by either exogenous or endogenous change then unstable
behaviour is exhibited. An obvious manifestation of such change is a An obvious manifestation of such change is a demographic system collapsing to extinction or increasing exponentially.

Apart from the obvious forms of instability a more interesting case is that of bifurcation. Several workers have noted that primary bifurcation or the hystersis phenomenon can be exhibited in a variety of environmental, biological and chemical systems (Oldfield 1983). By environmental, biological and chemical systems (Oldfield 1983). forcing a system beyond a threshold of stability the system can achieve
a new locally stable state. Alternatively, these primary bifurcations Alternatively, these primary bifurcations can be developed so that the trajectory of the system changes in a more complex manner. As the system moves away from one position of dynamic equilibrium further bifurcations are possible until chaotic behaviour is observed even in systems with deterministic equations (May 1970).

Chaotic behaviour is observed in many dynamic system models which have one, or more, feedback loops. These non-equilibrium systems, especially when interacting with the outside world may also form the genetic phase for the formation of new structures. These new structures are termed self-organizing or dissipative structures. They may appear locally stable but are, as Prigogine and Stengers write 'essentially a reflection of the global situation of non-equilibrium (processes) producing them' (Nicholis and Prigogine 1977). Unlike bifurcation and chaotic behaviour in dynamic models of environmental systems these dissipative structures are generated by a mix of deterministic and stochastic elements. It is important to realise that such stochastic perturbations may be very small in any environmental system but can alter fundamentally the entire system of interest. Furthermore, these structures are created and maintained in open systems by a continuous influx of energy or matter (Peacocke 1983). In this way the dynamics of environmental systems can exhibit diachronic as well as synchronic change.

SOME EXAMPLES

Numerous examples could be given to illustrate the use of this new conceptual approach to modelling the dynamics of environmental systems. Three examples (population growth using a logistic equation; a dynamic version of Christaller's theory of central places; and the environmental management implications of dynamic models) are described briefly below. In each example, there is a wide range of dynamic behaviour implicit in these relatively simple models.

When a population is composed of single generations with no overlap between successive generations then the population growth occurs in discrete steps. In such circumstances it is convenient to model these
systems of interest as difference equations (May 1974). The logistic systems of interest as difference equations (May 1974). equation (S-shaped curve) is probably the simplest form of non-linear equation used in ecological studies. There are various ways of writing the logistic equations but a discrete version could be written as follows

$$
\Delta p_{\ell} = r p_{\ell} \ (1 - p_{\ell}) \qquad \text{(equation 1)}
$$

where p is the number of people, L is the upper limit or carrying capacity on this number and $r(1-P/L)$ is the rate at which new people are recruited into the system. This difference equation can be modelled using system dynamics to produce a variety of dynamic behaviour. When $0 < r < 1$ then the system coverges monotonically towards L. Oscillating convergence towards L is observed when $1 <$ towards L. Oscillating convergence towards L is observed when $1 < r <$
2. If, however, the condition $2 < r <$ 2.57 a series of stable limit If, however, the condition $2 < r < 2.57$ a series of stable limit cycles of period 2ⁿ can develop. When $r > 2.57$ then the logistic equation model enters into chaotic behaviour. As the name implies, chaotic behaviour is unpredictable. Any value of r which falls into this regime can generate trajectories that may settle into a stable limit cycle of any integral period or may never settle into a finite cycle (Kohfeld and Salert 1972,) in Figure 3.

Figure 3 Various modes of behaviour in a simple difference equation - see text for explanation

As is well known, Christaller's (1933) theory of central places showed three different hexagonal lattices depending on the marketing, transport or administrative principles $(k = 3, 4, and 7$ respectively). Each of these sets of hexagonal patterns appear to be time-less, optimized spatial configurations. It was, however, clear to Christaller that these static patterns represented 'only a snapshot of the existing world in continuous change; the stationary state is only fiction whereas motion is reality' (Christaller 1933, 84). In the past decade several researchers have attempted to provide a dynamic version of Christaller's pioneering work (Moffatt 1974; White 1977, 1979).

In the 1970s a dynamic model of interacting urban centres, canbfning both stochastic and deterministic elements, was developed in an attempt to describe the evolution of a central place system (Allen and Sanglier 1978, 1979a, 1979b, 1981). Using a modified logistic equation in which the natural carrying capacity L (equation 1) of a particular place can be increased by its potential employment capacity as used in the familiar Lowry model (Lowry 1964). Unlike the previous example, however, each population centre is in competition with other centres of activity located elsewhere. Furthermore, each central location is able Furthermore, each central location is able to act as a focus of production and consumption for the inhabitants of the central place and those in the immediate hinterland. By incorporating non-linearities and stochastic processes into this dynamic model a qualitatively more realistic evolution of central place patterns has been produced. Preliminary empirical work indicates that this model is sufficient to describe correctly the evolution of tertiary employment and residential structure in the Bastogne region of Belgium, 1947-70 (Allan et al 1981).

In the previous two examples it is clear that even in the case of some simple, non-linear dynamic models there is a very sharp transition from stable to unstable or chaotic behaviour as a parameter exceeds a critical threshold value. Within the range of a critical threshold value it is possible to optimize some aspect of the behaviour of the modelled system. In this way it may be possible to develop simple models which may be used for environmental management and planning (Moffatt 1984). It is, however, very clear that if simple dynamic models are to be used in environmental management and planning then there is an urgent need to develop rigorous methods to determine sensitive parameters before policies emanating from these models are put into practice.

Apart from the technical problems involved in using dynamic models of environmental systems for management or planning purposes there are also deeper ethical considerations to be taken into account. O'Riordan (O'Riordan 1981) notes that the environmental ethic exists to change people's outlook on the world, their values and behaviour and not just to shift public policies and redirect particular decisions. One way of addressing ethical issues involved in environmental management and planning is to use a simple dynamic model of structural conflict in the environment. In the case of advanced industrial societies three different attitudes towards the environment can be discerned. The conservative approach suggests that the market mechanism will solve

environmental problems when they arise. The liberals, however, suggest that such problems can be eradicated only if further funding is given to environmental management. Finally, the radicals argue that a .fundamental shift in attitudes to the environment is required to resolve the problems. These three different attitudes have been built into a dynamic model which incorporates a dissipative structure. This dynamic model which incorporates a dissipative structure. dissipative structure is triggered by stochastic peturbations in a · non-linear feedback loop. The result of triggering this dissipative structure can reveal the ways in which conflicting values can lead to different forms of social evolution which are either antagonistic to, or in harmony with, the environment.

CONCLUSION

This paper has described the nature of environmental systems as the
interaction of ecological, economic and socio-political sets. One of interaction of ecological, economic and socio-political sets. the problems in studying environmental systems resides in the fact that they are both hard and soft. Furthermore, in attempting to model the Furthermore, in attempting to model the dynamics of these systems it is clear that both synchronic and diachronic change must be considered. The conceptual framework outlined in the paper incorporates hard and soft systems as well as synchronic and diachronic change.

By drawing upon the notion of dissipative structures it is possible to portray the dynamics of environmental systems as cyclic phenomena moving from stability, into instability, bifurcations, chaos and into dissipative structures. These latter structures can radically transform the behaviour and structure of the entire system of interest. These revolutionary changes are embedded in complex systems and are triggered by low probability stochastic changes which cause fundamental shifts in the structure and function of hitherto apparently stable systems.

Whilst this conceptual framework for modelling the dynamics of environmental systems is tentative it is clear that several environmental systems do in fact exhibit these modes of behaviour. Several examples of the dynamics of environmental systems have been discussed using the method of system dynamics simulation. These examples include stable but oscillating predator-prey relationships; the chaotic behaviour of urban dynamics and dissipative structures illustrating the emergence of a more ecologically sane society as a result of dialectical conflict in a model of an environmental system. Obviously, much more detailed empirical and theoretical research needs to be undertaken in order to comprehend the dynamics of environmental systems. Nevertheless, the conceptual framework described above offers environmental scientists a new and useful way of understanding and changing environmental systems as they unfold around us.

REFERENCES

Allen, P. M. and M. Sanglier. Dynamic Models of Urban Growth, Journal of Social and Biological Structures, Volume 1, Number 3, 1978, pp. 265-80.

Allen, P. M. and M. Sanglier. A Dynamic Model of Urban Growth, Journal of Social and Biological Structures, Volume 2, Number 4, 1979, pp. 269-78.

Allen, P. M. and M. Sanglier. A Dynamic Model of Growth in a Central Place System, Geographical Analysis, Volume 11, Number 3, 1979, pp. 256;72.

Allen, P. M. and M. Sanglier. Urban evolution: Self-Organization and Decision-making. Environment and Planning, A, Volume 13, 1981, pp. 167-83.

Allen, P.M., M. Sanglier, F. Boon, J. L. Deneubourg and A. DePalma. of Urban Settlement and Structures as Dydnamic Self; Organizing Systems. U. S. Dept. of Transportation, R.S.P.A., DPB, 1981, pp. 1016. Models

Bennett, R. J. and R. J. Chorley. Environmental Systems: Philosophy, Analysis and Control. London: Methven, 1978.

Checkland, P. Rethinking a Systems Approach in Tomlinson, R. and I. Kiss, (Eds.) Rethinking the Process of Operational Research and System Analysis Oxford: Pergamon, 1984.

Christaller, W. Central Places in Southern Germany. New Jersey: Prentice Hall, 1966.

Forrester, J. W. Urban Dynamics, Massachusett, M.I.T., 1969.

Forrester, J. W. World Dynamics, Massachusetts: M.I.T., 1971.

Hall, A.S. and J. W. Day (Eds.) Ecosystem Modelling in Theory and Practice, New York: John Wiley, 1977.

Huckfeldt, R. R., E. W. Kohfeld and T. W. Likens. Dynamic Modelling an Introduction. Beverley Hills: Sage, 1982.

Jeffers, J. N.R. An Introduction to Systems Analysis: with ecological applications. London: Edward Arnold, 1978.

Kohfeld, c. W. and B. Salert. Discrete and Continuous Representation of Dynamic Models. Political Methodology, Volume 8, Number 1, pp. 1-45.

Lowry, I. s. A Model of Metropolis. R. M. 203-R.C. Rand Corporation, 1964.

May, R. M. Simple Mathematical Models with very Complicated Dynamics. Nature, Volume 261, 1976, pp. 459-67.

May, R. M. (Ed.), Theoretical Ecology: Principles and Applications. London: Blackwell, 1976.

May, R. M., Biological populations with run-overlapping generations: stable points, stable cycles and chaos. Science, Volume 186, 1974, pp. 645-47.

Moffatt, I. A Theory of Settlements at the Global Scale. University of Newcastle upon Tyne; M.Sc. thesis Geography Department, 1974.

Moffatt, I. Some Methodological and Epistemological Problems Involved in System Dynamics Modelling in Morecroft, J. D. W., D. F. Anderson and J. D. Sterman (Eds.), The 1983 International System Dynamics Conference, Volume 1, 1983, pp. 339-57

Moffatt, I. Environmental Management, Models and Policies, in Murray-Smith, D. J. (Ed.), Proceedings of the 1984 U.K.S.C. Conference in Computer Simulation. London: Butterworths, 1984.

Morgan, R. K. Systems Analysis: a Problem of Methodology? Area, Volume 13, Number 3, 1981, pp. 219-23.

Nicholas, G. and I. Prigogine. Self-organization in Non-Equilibrium Systems from Dissipative Structures to order through Fluctuations. New York: Wiley, 1977.

Oldfield, F. Man's Impact on the Environment: Some Recent Perspectives. Geography, Volume 68, Number 3, 1983, pp. 245-56.

O'Riordan, T. Environmentalism and Education. Journal of Geography in Higher Education, Volume 5, Number 1, 1981, pp. 3-17.

Peacocke, A. R. An Introduction to the Physical Chemistry of Biological Organization. Oxford: Clarendon Press, 1983.

Pepper, D. The Roots of Modern Environmentalism. London: Croom-Helm, 1984.

Prigogine, I. and I. Stengers. Order Out of Chaos. London: Heinemann, 1982.

White, R. W. Dynamic Central Place Theory: results of a simulation approach, Geographical Analysis, Volume 9, 1977, pp. 226-43.

White, R. w. Simulation of Central Place Dynamics: two-sector systems and the rank-size distribution. Geographical Analysis, Volume 1, 1979, pp. 201-8.

Wilson, A. G. and M. J. Kirkby. Mathematics for Geographers and Planners. Oxford: Oxford University Press, 1980.